

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Issue date: 08/12/2022

Revision date: 08/12/2022

Version: 1.0

## SECTION 1: IDENTIFICATION

### 1.1. IDENTIFICATION

Product form : Mixture  
 Product name : ZL-150

### 1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Recommended use : Non-Destructive Testing.

### 1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

#### Manufacturer

Magnaflux  
 155 Harlem Ave.  
 Glenview, IL 60025 - USA  
 T 847-657-5300

#### Distributor

### 1.4. EMERGENCY TELEPHONE NUMBER

Emergency number : CHEMTREC (800) 424-9300

## SECTION 2: HAZARD IDENTIFICATION

### 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### GHS classification

Eye Dam. 1  
 Skin Sens. 1B  
 Asp. Tox. 1

### 2.2. LABEL ELEMENTS

#### GHS labelling

Hazard pictograms (GHS) :



GHS05



GHS07



GHS08

Signal word (GHS) : Danger

Hazard statements (GHS) : May be fatal if swallowed and enters airways. May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statements (GHS) : Avoid breathing dust, fume, gas, mist, spray, vapours. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection, face protection, protective clothing, protective gloves. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. OTHER HAZARDS

No additional information available

### 2.4. UNKNOWN ACUTE TOXICITY

Not applicable

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. SUBSTANCES

Not applicable

### 3.2. MIXTURES

### DISTRIBUÉ PAR / DISTRIBUTED BY:



QUEBEC  
 164, St-Jean Baptiste  
 Mercier, QC J6R 2C2  
 T: (450) 691-9090

ONTARIO  
 275 Sheldon Drive, Unit 3  
 Cambridge, ON N1T 1A3  
 T: (519) 894-9069



Name	Product identifier	%
Petroleum distillates, hydrotreated light	(CAS-No.) 64742-47-8	45 - 70
Ethoxylated Alcohol	(CAS-No.) Trade Secret	7 - 30
9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)-	(CAS-No.) 111-05-7	1 – 5
Alcohols, C12-15, ethoxylated propoxylated	(CAS-No.) 68551-13-3	1 – 5

\* The exact chemical identity and/or exact percentages (concentration) of each ingredient has been held as confidential business information (CBI). Refer to Section 15 for additional information regarding this CBI claim.

## SECTION 4: FIRST-AID MEASURES

### 4.1. DESCRIPTION OF FIRST AID MEASURES

- First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
- First-aid measures after skin contact : IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Immediately call a POISON CENTER/doctor.
- First-aid measures after ingestion : IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

### 4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

- Symptoms/effects after inhalation : May cause irritation to the respiratory tract.
- Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
- Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing chemical pneumonia. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### 4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. EXTINGUISHING MEDIA

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use water jet.

### 5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

- Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.
- Reactivity : No dangerous reactions known under normal conditions of use.

### 5.3. ADVICE FOR FIREFIGHTERS

- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.1.1. FOR NON-EMERGENCY PERSONNEL

No additional information available

#### 6.1.2. FOR EMERGENCY RESPONDERS

No additional information available

### 6.2. ENVIRONMENTAL PRECAUTIONS

Prevent entry to sewers and public waters.

### 6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

- For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
- Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

#### 6.4. REFERENCE TO OTHER SECTIONS

For further information refer to section 8: "Exposure controls/personal protection"

### SECTION 7: HANDLING AND STORAGE

#### 7.1. PRECAUTIONS FOR SAFE HANDLING

- |                               |   |
|-------------------------------|---|
| Precautions for safe handling | : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Wear personal protective equipment. |
| Hygiene measures              | : Wash contaminated clothing before reuse. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace.   |

#### 7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

- |                    |   |
|--------------------|---|
| Storage conditions | : Keep out of the reach of children. Keep container tightly closed. |
|--------------------|---|

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. CONTROL PARAMETERS

<b>Ethoxylated Alcohol (Trade Secret)</b>
No additional information available
<b>9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)- (111-05-7)</b>
No additional information available
<b>Petroleum distillates, hydrotreated light (64742-47-8)</b>
No additional information available
<b>Alcohols, C12-15, ethoxylated propoxylated (68551-13-3)</b>
No additional information available

#### 8.2. EXPOSURE CONTROLS

- |                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.  |
| Hand protection                  | : Wear suitable gloves.  |
| Eye protection                   | : Wear eye/face protection.  |
| Skin and body protection         | : Wear suitable protective clothing.   |
| Respiratory protection           | : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. |
| Environmental exposure controls  | : Avoid release to the environment.  |
| Other information                | : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.   |

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- |  |                     |
|--|---------------------|
| Physical state                             | : Liquid            |
| Appearance                                 | : Oily.             |
| Colour                                     | : Green             |
| Odour                                      | : Mild.             |
| Odour threshold                            | : No data available |
| pH   | : Neutral           |
| Melting point                              | : No data available |
| Freezing point                             | : No data available |
| Boiling point                              | : ≈ 235 °C / 455 °F |
| Flash point                                | : > 93 °C / 200 °F  |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Flammability                               | : No data available |
| Vapour pressure                            | : No data available |
| Relative vapour density at 20 °C           | : No data available |

Relative density	: 0.858
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 4.37 cSt @ 40 °C
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

## 9.2. OTHER INFORMATION

VOC content	: 429 g/l
-------------	-----------

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. REACTIVITY

No dangerous reactions known under normal conditions of use.

### 10.2. CHEMICAL STABILITY

Stable under normal conditions.

### 10.3. POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reactions known under normal conditions of use.

### 10.4. CONDITIONS TO AVOID

Heat.

### 10.5. INCOMPATIBLE MATERIALS

None known.

### 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.

#### 9-Octadecenamide, N-(2-hydroxypropyl)-, (Z)- (111-05-7)

LD50 dermal rat	> 2000 mg/kg
-----------------	--------------

#### Petroleum distillates, hydrotreated light (64742-47-8)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat	> 5.2 mg/l/4h

#### Alcohols, C12-15, ethoxylated propoxylated (68551-13-3)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

Skin corrosion/irritation	: Not classified. pH: Neutral
Serious eye damage/irritation	: Causes serious eye damage. pH: Neutral
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified.

Prepared according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

STOT-single exposure : Not classified.

STOT-repeated exposure : Not classified.

Petroleum distillates, hydrotreated light (64742-47-8)	
NOAEL (oral, rat, 90 days)	750 mg/kg bodyweight Animal: rat, Animal sex: female
NOAEC (inhalation, rat, vapour, 90 days)	≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)

Aspiration hazard : May be fatal if swallowed and enters airways.

ZL-150	
Viscosity, kinematic (calculated value) (40 °C)	4.37 mm²/s @ 40 °C

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : May cause skin irritation. Repeated exposure may cause skin dryness or cracking. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing chemical pneumonia. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. TOXICITY

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Petroleum distillates, hydrotreated light (64742-47-8)	
LC50 - Fish [1]	45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

### 12.2. PERSISTENCE AND DEGRADABILITY

ZL-150	
Persistence and degradability	Not established.

### 12.3. BIOACCUMULATIVE POTENTIAL

ZL-150	
Bioaccumulative potential	Not established.

Petroleum distillates, hydrotreated light (64742-47-8)	
BCF - Fish [1]	61 – 159

### 12.4. MOBILITY IN SOIL

No additional information available

### 12.5. OTHER ADVERSE EFFECTS

Other information : No other effects known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. WASTE TREATMENT METHODS

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

## SECTION 14: TRANSPORT INFORMATION

In accordance with DOT/TDG/IATA/IMDG

DOT (bulk) : Not regulated for transport

DOT (non-bulk) : Not regulated for transport

Transportation of Dangerous Goods : Not regulated for transport

IATA : Not regulated for transport

IMDG : Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

### 15.1. FEDERAL REGULATIONS

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

Canada WHMIS Confidential Business Information (CBI): HMIRA registry number 03478031. The date of filing is 2022-07-12.


#### Ethoxylated Alcohol (Trade Secret)

EPA TSCA Regulatory Flag	FRI - FRI - indicates a polymeric substance containing no free-radical initiator in its Inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used. PMN - PMN - indicates a commenced PMN substance. XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
--------------------------	---

#### Alcohols, C12-15, ethoxylated propoxylated (68551-13-3)

EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
--------------------------	---

NFPA health hazard : 2  
NFPA fire hazard : 1  
NFPA reactivity : 0



### 15.2. INTERNATIONAL REGULATIONS

No additional information available

### 15.3. US STATE REGULATIONS

**⚠ WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## SECTION 16: OTHER INFORMATION

Issue date : 08/12/2022  
Revision date : 08/12/2022  
Other information : None.  
Prepared by : Nexreg Compliance Inc.



SDS HazCom 2012 - WHMIS 2015 (Nexreg\_MAGNAFLUX)

*Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.*

DISTRIBUÉ PAR / DISTRIBUTED BY:



QUEBEC  
164, St-Jean-Baptiste  
Mercier, QC J6R 2C2  
T : (450) 691-9090

ONTARIO  
275 Sheldon Drive, Unit 3  
Cambridge, ON N1T 1A3  
T : (519) 894-9069

[www.qnde.ca](http://www.qnde.ca)

